## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

## **Listing Of Claims**

## 1. (currently amended) A compound comprising Formula XXXVII:

$$\bigcup_{M}^{Q} \bigvee_{N}^{R_1}$$

XXXVII

wherein

Q is selected from the group consisting of CO, CS, <del>SO, SO</del><sub>2</sub>, or C=NR<sub>9</sub>;

J, K, L, and M are each independently selected from the group of  $CR_{12}$  and N, provided that at least one of K and L is  $CR_{12}$  where  $R_{12}$  is not hydrogen;

 $R_1$  is  $-ZR_m$ , where Z is a moiety providing 1-6 atom separation between  $R_m$  and the ring to which  $R_1$  is attached, and  $R_m$  is selected from the group consisting of a substituted or unsubstituted ( $C_{3^{-7}}$ )cycloalkyl and aryl;

R<sub>2</sub> is -UV, where U is a moiety providing 1-6 atom separation between V and the ring to which R<sub>2</sub> is attached and V comprises a basic nitrogen atom that is capable of interacting with a carboxylic acid side chain of an active site residue of a protein;

R<sub>9</sub> is hydrogen or is selected from the group consisting of alkyl, cycloalkyl, heterocycloalkyl, arylalkyl, heteroarylalkyl, bicycloaryl, and heterobicycloaryl, each substituted or unsubstituted; and

each  $R_{12}$  is hydrogen or is independently selected from the group consisting of halo, perhalo( $C_{1^{-10}}$ )alkyl,  $CF_3$ , alkyl, aryl, heteroaryl, aminosulfonyl, alkylsulfonyl, arylsulfonyl, heteroarylsulfonyl, aryloxy, heteroaryloxy, arylalkyl, heteroarylalkyl, cycloalkyl, heterocycloalkyl, amino, thio, cyano, nitro, alkoxy, a carbonyl group, imine group, sulfonyl group and sulfinyl group, each substituted or unsubstituted.

- 2. (original) A compound according to claim 1, wherein V is selected from the group consisting of a primary, secondary or tertiary amine, a heterocycloalkyl comprising a nitrogen ring atom, and a heteroaryl comprising a nitrogen ring atom
- 3. (original) A compound according to claim 1, wherein V is selected from the group consisting of a substituted or unsubstituted 3, 4, 5, 6 or 7 membered ring wherein at least one substituent is selected from the group consisting of a primary, secondary or tertiary amine, a heterocycloalkyl comprising a nitrogen ring atom, and a heteroaryl comprising a nitrogen ring atom.
- 4. (original) A compound according to claim 1, wherein the basic nitrogen of V is separated from the ring atom to which R<sub>2</sub> is attached by between 1-5 atoms.
- 5. (original) A compound according to claim 1, wherein the basic nitrogen of V forms part of a primary, secondary or tertiary amine.
- 6. (original) A compound according to claim 1, wherein the basic nitrogen of V is a nitrogen ring atom of a heterocycloalkyl comprising a nitrogen ring atom or a heteroaryl comprising a nitrogen ring atom.
- 7. (original) A compound according to claim 1, wherein R<sub>2</sub> is selected from the group consisting of

$$-\xi - N \searrow_{(R_8)_p} - \xi - N \searrow_{(R_8)_p} - \xi - N \searrow_{(R_8)_p} - \xi - N \searrow_{(R_8)_p}$$

wherein p is 0-12 and each  $R_8$  is independently selected from the group consisting of halo, perhalo( $C_{1-10}$ )alkyl,  $CF_3$ , cyano, nitro, hydroxy, alkyl, aryl, heteroaryl,

aminosulfonyl, alkylsulfonyl, arylsulfonyl, heteroarylsulfonyl, aryloxy, heteroaryloxy, arylalkyl, heteroarylalkyl, cycloalkyl, heterocycloalkyl, amino, thio, alkoxy, carbonyl group, imino group, sulfonyl group and sulfinyl group, each substituted or unsubstituted, with the proviso that at least one R<sub>8</sub> serves as V.

- 8. (original) A compound according to claim 7, wherein at least one R<sub>8</sub> is a primary, secondary or tertiary amine.
- 9. (original) A compound according to claim 7, wherein at least one R<sub>8</sub> is a substituted or unsubstituted heterocycloalkyl comprising a nitrogen ring atom or a substituted or unsubstituted heteroaryl comprising a nitrogen ring atom.
- 10. (original) A compound according to claim 7, wherein at least one  $R_8$  is selected from the group consisting of -NH<sub>2</sub>, -NH( $C_{1-5}$  alkyl), -N( $C_{1-5}$  alkyl)<sub>2</sub>, piperazine, imidazole, and pyridine.
- 11. (original) A compound according to claim 1, wherein R<sub>2</sub> is selected from the group consisting of

$$-\frac{1}{5} - (R_8)_r - \frac{1}{5} - (R_8)_r - \frac{1$$

wherein r is 0-13 and each  $R_8$  is independently selected from the group consisting of halo, perhalo( $C_{I^-10}$ )alkyl,  $CF_3$ , cyano, nitro, hydroxy, alkyl, aryl, heteroaryl, aminosulfonyl, alkylsulfonyl, arylsulfonyl, heteroarylsulfonyl, aryloxy, heteroaryloxy, arylalkyl, heteroarylalkyl, cycloalkyl, heterocycloalkyl, amino, thio, alkoxy, carbonyl group, imino group, sulfonyl group and sulfinyl group, each substituted or unsubstituted, with the proviso that at least one  $R_8$  serves as V.

- 12. (original) A compound according to claim 11, wherein at least one R<sub>8</sub> is a primary, secondary or tertiary amine.
- 13. (original) A compound according to claim 11, wherein at least one R<sub>8</sub> is a substituted or unsubstituted heterocycloalkyl comprising a nitrogen ring atom or a substituted or unsubstituted heteroaryl comprising a nitrogen ring atom.
- 14. (original) A compound according to claim 11, wherein at least one R<sub>8</sub> is selected from the group consisting of -NH<sub>2</sub>, -NH(C<sub>1-5</sub> alkyl), -N(C<sub>1-5</sub> alkyl)<sub>2</sub>, piperazine, imidazole, and pyridine.
- 15. (original) A compound according to claim 1, wherein R<sub>2</sub> is selected from the group consisting of 3-amino-piperidin-1-yl, 3-aminomethyl-pyrrolidin-1-yl, azetidin-1-yl, 3-aminoazetidin-1-yl, pyrrolidin-1-yl, 3-aminocyclopent-1-yl, 3-aminomethylcyclopent-1-yl, 3-aminomethylcyclopent-1-yl, hexahydroazepin-1-yl, 3-aminohexahydroazepin-1-yl, 3-amino-cyclohex-1-yl, piperazin-1-yl, homopiperazin-1-yl, 3-amino-pyrrolidin-1-yl, and R-3-aminopiperidin-1-yl, each substituted or unsubstituted.
- 16. (original) A compound according to claim 1, wherein R<sub>2</sub> is selected from the group consisting of a substituted or unsubstituted 3, 4, 5, 6 or 7 membered ring.
- 17. (original) A compound according to claim 16, wherein  $R_1$  is  $-ZR_m$ , where Z is a moiety providing 1-6 atom separation between  $R_m$  and the ring to which  $R_1$  is attached, and  $R_m$  is selected from the group consisting of a substituted or unsubstituted ( $C_{3-7}$ )cycloalkyl and aryl.
- 18. (original) A compound according to claim 1, wherein  $R_1$  is  $-ZR_m$ , where Z is a moiety providing 1-6 atom separation between  $R_m$  and the ring to which  $R_1$  is attached, and  $R_m$  is selected from the group consisting of a substituted or unsubstituted ( $C_{3-7}$ )cycloalkyl and aryl.
- 19. (original) A compound according to claim 1, wherein at least one R<sub>12</sub> is halogen.

- 20. (original) A compound according to claim 1, wherein at least one R<sub>12</sub> is fluorine.
- 21. (currently amended) A compound comprising Formula XXXVIII:

## XXXVIII

wherein

Q is selected from the group consisting of CO, CS, SO, SO<sub>2</sub>, or C=NR<sub>9</sub>;

J, K, L, and M are each independently selected from the group of  $CR_{12}$  and N, provided that at least one of K and L is  $CR_{12}$  where  $R_{12}$  is not hydrogen;

 $R_1$  is  $-ZR_m$ , where Z is a moiety providing 1-6 atom separation between  $R_m$  and the ring to which  $R_1$  is attached, and  $R_m$  is selected from the group consisting of a substituted or unsubstituted ( $C_{3-7}$ )cycloalkyl and aryl;

R<sub>2</sub> is selected from the group consisting of a substituted or unsubstituted 3, 4, 5, 6 or 7 membered ring;

R<sub>9</sub> is hydrogen or is selected from the group consisting of alkyl, cycloalkyl, heterocycloalkyl, arylalkyl, heteroarylalkyl, bicycloaryl, and heterobicycloaryl, each substituted or unsubstituted; and

each R<sub>12</sub> is hydrogen or is independently selected from the group consisting of halo, perhalo(C<sub>1-10</sub>)alkyl, CF<sub>3</sub>, alkyl, aryl, heteroaryl, aminosulfonyl, alkylsulfonyl, arylsulfonyl, heteroarylsulfonyl, aryloxy, heteroaryloxy, arylalkyl, heteroarylalkyl, cycloalkyl, heterocycloalkyl, amino, thio, cyano, nitro, alkoxy, a carbonyl group, imine group, sulfonyl group and sulfinyl group, each substituted or unsubstituted.

22. (original) A compound according to claim 21, wherein Z provides 1-3 atom separation between  $R_m$  and the ring.

- 23. (original) A compound according to claim 21, wherein Z provides 1 atom separation between  $R_m$  and the ring.
- 24. (original) A compound according to claim 23, wherein the 1 atom separation is provided by an atom selected from the group consisting of C, N, O, and S.
- 25. (original) A compound according to claim 23, wherein the 1 atom separation is provided by a carbon atom.
- 26. (original) A compound according to claim 23, wherein the 1 atom separation is provided by an oxygen atom.
- 27. (original) A compound according to claim 23, wherein the 1 atom separation is provided by a nitrogen atom.
- 28. (original) A compound according to claim 21, wherein Z is selected from the group consisting of -CH<sub>2</sub>-, -CH<sub>2</sub>CH<sub>2</sub>-, -CH<sub>2</sub>CH<sub>2</sub>-, -C(O)-, -CH<sub>2</sub>C(O)-, -C(O)CH<sub>2</sub>-, -CH<sub>2</sub>CH<sub>2</sub>-, -NHCH<sub>2</sub>-, -NHCH<sub>2</sub>-, -NHCH<sub>2</sub>-, -NHCH<sub>2</sub>-, -NHCH<sub>2</sub>-, -NHCH<sub>2</sub>-, -NHCH<sub>2</sub>-, -CH<sub>2</sub>CH<sub>2</sub>NH-, -NH-C(O)-, -NCH<sub>3</sub>-C(O)-, -C(O)NH-, -C(O)NCH<sub>3</sub>-, -NHC(O)CH<sub>2</sub>-, -C(O)NHCH<sub>2</sub>-, -C(O)CH<sub>2</sub>NH-, -CH<sub>2</sub>NHC(O)-, -CH<sub>2</sub>C(O)NH-, -NHCH<sub>2</sub>C(O)-, -S-, -SCH<sub>2</sub>-, -CH<sub>2</sub>S-, -SCH<sub>2</sub>CH<sub>2</sub>-, -CH<sub>2</sub>SCH<sub>2</sub>-, -CH<sub>2</sub>CH<sub>2</sub>S-, -C(O)S-, -C(O)SCH<sub>2</sub>-, -CH<sub>2</sub>C(O)S-, -C(O)CH<sub>2</sub>S-, and -CH<sub>2</sub>SC(O)-, each substituted or unsubstituted.
- 29. (original) A compound according to claim 21, wherein Z is selected from the group consisting of -CH<sub>2</sub>-, -C(O)-, -C(S)-, -C(NH)-, -C(NR<sub>9</sub>)-, -O-, -N(H)-, -N(R<sub>9</sub>)-, and -S-.
- 30. (original) A compound according to claim 21, wherein  $R_m$  is a substituted or unsubstituted - $(C_{3-7})$ cycloalkyl.

- 31. (original) A compound according to claim 21, wherein  $R_m$  is a substituted or unsubstituted aryl.
- 32. (original) A compound according to claim 21, wherein  $R_m$  is a substituted or unsubstituted phenyl.
- 33. (original) A compound according to claim 21, wherein R<sub>m</sub> is selected from the group consisting of (2-cyano)phenyl, (3-cyano)phenyl, (2-hydroxy)phenyl, (3-hydroxy)phenyl, (2-alkenyl)phenyl, (3-alkenyl)phenyl, (2-alkynyl)phenyl, (3-alkynyl)phenyl, (2-nitro)phenyl, (3-nitro)phenyl, (2-carboxy)phenyl, (3-carboxy)phenyl, (2-carboxamido)phenyl, (3-carboxamido)phenyl, (2-sulfonamido)phenyl, (3-sulfonamido)phenyl, (2-tetrazolyl)phenyl, (3-tetrazolyl)phenyl, (2-amino)phenyl, (3-amino)phenyl, (2-amino)phenyl, (3-amino)phenyl, (2-hydroxymethyl)phenyl, (3-hydroxymethyl)phenyl, (2-phenyl)phenyl, (3-phenyl)phenyl, (2-CONH<sub>2</sub>)phenyl, (2-CONH(C<sub>1-7</sub>)alkyl)phenyl, (3-CONH(C<sub>1-7</sub>)alkyl)phenyl, (3-CO<sub>2</sub>(C<sub>1-7</sub>)alkyl)phenyl, (3-CO<sub>2</sub>(C<sub>1-7</sub>)alkyl)phenyl, -NH<sub>2</sub>, -OH, -(C<sub>3-7</sub>)alkyl, -alkene, -alkyne, -CCH, -(C<sub>3-7</sub>)cycloalkyl, and -aryl, each substituted or unsubstituted.
- 34. (original) A compound according to claim 21, wherein R<sub>1</sub> is –OR<sub>11</sub>, where R<sub>11</sub> is selected from the group consisting of substituted or unsubstituted alkyl, cycloalkyl, aryl, heteroaryl, heteroaryl, heteroarylalkyl, heteroarylalkyl, bicycloaryl, and heterobicycloaryl.
- 35. (original) A compound according to claim 21, wherein Z is a carbonyl.
- 36. (original) A compound according to claim 21, wherein R<sub>1</sub> is selected from the group consisting of -(CH<sub>2</sub>)-(2-cyano)phenyl, -(CH<sub>2</sub>)-(3-cyano)phenyl, -(CH<sub>2</sub>)-(2-hydroxy)phenyl, -(CH<sub>2</sub>)-(3-hydroxy)phenyl, -(CH<sub>2</sub>)-(2-alkenyl)phenyl, -(CH<sub>2</sub>)-(3-alkenyl)phenyl, -(CH<sub>2</sub>)-(3-alkenyl)phenyl, -(CH<sub>2</sub>)-(3-nitro)phenyl, -(CH<sub>2</sub>)-(3-nitro)phenyl, -(CH<sub>2</sub>)-(3-carboxy)phenyl, -(CH<sub>2</sub>)-(2-carboxamido)phenyl, -(CH<sub>2</sub>)-(3-carboxamido)phenyl, -(CH<sub>2</sub>)-(3-sulfonamido)phenyl, -(CH<sub>2</sub>)-(3-sulfonamido)phenyl, -(CH<sub>2</sub>)-(3-sulfonamido)phenyl,

PATENT Docket No. DPP4-5004-C3

-(CH<sub>2</sub>)-(2-tetrazolyl)phenyl, -(CH<sub>2</sub>)-(3-tetrazolyl)phenyl, -(CH<sub>2</sub>)-(2-aminomethyl)phenyl, -(CH<sub>2</sub>)-(3-aminomethyl)phenyl, -(CH<sub>2</sub>)-(2-amino)phenyl, -(CH<sub>2</sub>)-(3-amino)phenyl, -(CH<sub>2</sub>)-(2-hydroxymethyl)phenyl, -(CH<sub>2</sub>)-(3-hydroxymethyl)phenyl, -(CH<sub>2</sub>)-(2-phenyl)phenyl, -(CH<sub>2</sub>)-(3-phenyl)phenyl, -(CH<sub>2</sub>)-(2-CONH<sub>2</sub>)phenyl, -(CH<sub>2</sub>)-(3-CONH<sub>2</sub>)phenyl, -(CH<sub>2</sub>)-(3-CONH(C<sub>1</sub>- $_{_{1}}$ )alkyl)phenyl, -(CH<sub>2</sub>)-(3-CONH(C<sub>1</sub>- $_{_{1}}$ )alkyl)phenyl, -(CH<sub>2</sub>)-(3-CO<sub>2</sub>(C<sub>1</sub>- $_{_{1}}$ )alkyl)phenyl, -CH<sub>2</sub>-OH, -CH<sub>2</sub>-(C<sub>3</sub>- $_{_{1}}$ )alkyl, -CH<sub>2</sub>-alkene, -CH<sub>2</sub>-alkyne, -CH<sub>2</sub>-CCH, -CH<sub>2</sub>-(C<sub>3</sub>- $_{_{1}}$ )cycloalkyl, and -CH<sub>2</sub>-aryl, each substituted or unsubstituted.

- 37. (original) A compound according to claim 21, wherein R<sub>1</sub> is selected from the group consisting of -(C<sub>1</sub>)alkyl-aryl, -(C<sub>1</sub>)alkyl-bicycloaryl, -aminoaryl, -aminoheteroaryl, -aminobicycloaryl, -aminoheterobicycloaryl, -O-heteroaryl, -O-bicycloaryl, -O-heterobicycloaryl, -O-heterobicycloaryl, -C(O)-aryl, -C(O)-aryl, -S-heterobicycloaryl, -C(O)-aryl, -C(O)-heteroaryl, -C(O)-heteroaryl, -C(S)-heteroaryl, -C(S)-heteroaryl, -C(S)-heteroaryl, -S(O)-heteroaryl, -S(O)-heteroaryl, -S(O)-bicycloaryl, -SO<sub>2</sub>-heterobicycloaryl, -SO<sub>2</sub>-heterobicycloaryl, -SO<sub>2</sub>-heterobicycloaryl, -C(NR<sub>9</sub>)-heteroaryl, -C(NR<sub>9</sub>)-heterobicycloaryl, each substituted or unsubstituted.
- 38. (currently amended) A compound comprising Formula XXXIX:

$$R_1$$
  $R_2$   $R_2$ 

XXXXX

wherein

Q is selected from the group consisting of CO, CS, SO, SO<sub>2</sub>, or C=NR<sub>9</sub>;

J, K, L, and M are each independently selected from the group of CR<sub>12</sub> and N, provided that at least one of K and L is CR<sub>12</sub> where R<sub>12</sub> is not hydrogen;

R<sub>1</sub> is selected from the group consisting of a substituted or unsubstituted 3, 4, 5, 6 or 7 membered ring;

R<sub>2</sub> is -UV, where U is a moiety providing 1-6 atom separation between V and the ring to which R<sub>2</sub> is attached and V comprises a basic nitrogen atom that is capable of interacting with a carboxylic acid side chain of an active site residue of a protein;

R<sub>9</sub> is hydrogen or is selected from the group consisting of alkyl, cycloalkyl, heterocycloalkyl, arylalkyl, heteroarylalkyl, bicycloaryl, and heterobicycloaryl, each substituted or unsubstituted; and

each  $R_{12}$  is hydrogen or is independently selected from the group consisting of halo, perhalo( $C_{1-10}$ )alkyl,  $CF_3$ , alkyl, aryl, heteroaryl, aminosulfonyl, alkylsulfonyl, arylsulfonyl, heteroarylsulfonyl, aryloxy, heteroaryloxy, arylalkyl, heteroarylalkyl, cycloalkyl, heterocycloalkyl, amino, thio, cyano, nitro, alkoxy, a carbonyl group, imine group, sulfonyl group and sulfinyl group, each substituted or unsubstituted.

- 39. (original) A compound according to claim 38, wherein U provides 1-4 atom separation between V and the ring.
- 40. (original) A compound according to claim 38, wherein U provides 1-3 atom separation between V and the ring.
- 41. (original) A compound according to claim 38, wherein U is selected from the group consisting of -CH<sub>2</sub>-, -CH<sub>2</sub>CH<sub>2</sub>-, -CH<sub>2</sub>CH<sub>2</sub>-, -C(O)-, -CH<sub>2</sub>C(O)-, -C(O)CH<sub>2</sub>-, -CH<sub>2</sub>CH<sub>2</sub>-, -NHCH<sub>2</sub>-, -NHCH<sub>2</sub>-, -NHCH<sub>2</sub>-, -NHCH<sub>2</sub>-, -NHCH<sub>2</sub>-, -NHCH<sub>2</sub>-, -NHCH<sub>2</sub>-, -CH<sub>2</sub>CH<sub>2</sub>NH-, -NH-C(O)-, -NCH<sub>3</sub>-C(O)-, -C(O)NH-, -C(O)NCH<sub>3</sub>-, -NHC(O)CH<sub>2</sub>-, -C(O)NHCH<sub>2</sub>-, -C(O)CH<sub>2</sub>NH-, -CH<sub>2</sub>NHC(O)-, -CH<sub>2</sub>C(O)NH-, -NHCH<sub>2</sub>C(O)-, -S-, -SCH<sub>2</sub>-, -CH<sub>2</sub>S-, -SCH<sub>2</sub>CH<sub>2</sub>-, -CH<sub>2</sub>SCH<sub>2</sub>-, -CH<sub>2</sub>CH<sub>2</sub>S-, -C(O)S-, -C(O)SCH<sub>2</sub>-, -CH<sub>2</sub>C(O)S-, -C(O)CH<sub>2</sub>S-, and -CH<sub>2</sub>SC(O)-, each substituted or unsubstituted.

- 42. (original) A compound according to claim 38, wherein U is selected from the group consisting of  $-CH_2$ -,  $-CHR_9$ -,  $-C(R_9)(R_9)$ -, -O-, -N(H)-,  $-N(R_9)$ -, and -S-.
- 43. (original) A compound according to claim 38, wherein V is selected from the group consisting of a primary, secondary or tertiary amine, a heterocycloalkyl comprising a nitrogen ring atom, and a heteroaryl comprising a nitrogen ring atom
- 44. (original) A compound according to claim 38, wherein the basic nitrogen of V is separated from the ring atom to which R<sub>2</sub> is attached by between 1-5 atoms.
- 45. (original) A compound according to claim 38, wherein the basic nitrogen of V forms part of a primary, secondary or tertiary amine.
- 46. (original) A compound according to claim 38, wherein the basic nitrogen of V is a nitrogen ring atom of a heterocycloalkyl comprising a nitrogen ring atom or a heteroaryl comprising a nitrogen ring atom.
- 47. (original) A compound according to claim 38, wherein R<sub>1</sub> is a substituted or unsubstituted aryl.
- 48. (original) A compound according to claim 38, wherein R<sub>1</sub> is a substituted or unsubstituted phenyl.
- 49. (original) A compound according to claim 38, wherein R<sub>1</sub> is a substituted or unsubstituted heteroaryl.